IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No. 7.668,956 Application No. . 09/774 968 Inventor Zebian Issued 02-23-2010

Docket No. : UN00-P02026US

. 33356 Customer No.

Commissioner for Patents Certificate of Correction Branch P.O. Box 1450 Alexandria, VA 22313-1450

Request for Certificate of Correction of Office Mistake **Under Section 1.322**

The Commissioner is hereby requested to correct the typographical error identified on the enclosed form PTO/SB/44. There are 3 errors.

Please contact the undersigned if there are any questions, or if this Request is not in a form to be granted.

Respectfully submitted,

Date: March 3, 2010

M Kala Sanang M. Kala Sarvaiya, Reg. No. 58,912

SoCal IP Law Group 310 N. Westlake Blvd., Suite 120 Westlake Village, CA 91362 Telephone: 805/230-1350 Facsimile: 805/230-1355 email: info@socalip.com

Approved for use through 04/30/2007, OMB 0651-0033
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,668,956

APPLICATION NO.: 09/774,968

ISSUE DATE : 02-23-2010

INVENTOR(S) : Zebian

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 4, line 56: replace "10" with --110--

Column 12, line 53: replace "qualifies" with --qualities--

Column 14, line 50: replace "sewer" with --server--

MAILING ADDRESS OF SENDER (Please do not use customer number below):

SoCal IP Law Group LLP 310 N. Westlake Blvd. Suite 120 Westlake Village. CA 91362

This collection of information is required by 37 CPR 1.322, 1.323, and 1.324. The information is required to obtain or retain a beautiful production of the control of the